

135mm ESD Round Brush

KB920

Description

135mm ESD round brush allows the safe cleaning of ESD sensitive assemblies without generating any harmful static charges. The brush hair is manufactured from a conductive PA material and the brush handle is made from a conductive PP material. This ESD brush does not produce dust particles and it consists of 40% polypropylene, 45% polyamide and 15% carbon fibre.



- Strong, conductive polypropylene handle.
- Manufactured with soft, conductive fibres.
- Brush Length: 135mm. Brush Width: 8mm dia.
- Bristle Size: 5mm dia. Bristle Length: 10mm.
- Standard compliance: ANSI/ESD S20.20*1999 requirements EN61340-5-1.



Specifications		
Materials	Polypropylene 40% Polyamide 45% Carbon Fibre 15%.	
Handle Material	Conductive Polypropylene.	
Bristle Material	Nylon.	
Surface Resistance	10^3 Ω x 10^5 Ω.	
Temperature Range	From 5 to 105°C, with intermittent use recommended at the extremity of the range.	

Physical Property	Test Methods	PP Material
Surface Resistance	Ohms.	10^3 Ω x 10^5 Ω.
Tensile Strength	ASTM D638.	3,000 psi.
Elongation	ASTM D638.	20 psi %.
Static Decay Rate +5000v to 50v	FTM-1018, Method 4046 MIL-881705C.	<2 seconds.



