

ESD T-Shirts

TECHNICAL DATASHEET

KSTB / KSTG

Description

Bondline's ESD T-Shirts are manufactured from a static-dissipative material for use in ESD protected areas. These unisex t-shirts have a round collar and short sleeves; ideal to wear in warm environments. The ESD T-Shirts are lightweight, comfortable and have the ESD symbol on the arm's sleeve for easy identification. Currently available in either a blue or grey colour. T-shirts are made from a U2 material.



Features

- ⚡ 96% cotton and 4% anti-static fibre.
- ⚡ T-shirts are machine washable up to 40°C.
- ⚡ Available in S/M/L/XL/XXL/XXXL/XXXXL.
- ⚡ ESD symbol on arm's sleeve for easy identification.
- ⚡ Short sleeves, round collar, unisex fit.
- ⚡ Available in blue or grey colours.
- ⚡ Surface weight: 155 g/m².
- ⚡ CE, RoHS and REACH compliant.
- ⚡ Compliant according to IEC-61340-1-5 International Standard.



Compliant according to IEC-61340-1-5 International Standard

Properties	Typical Values
Colour	Middle blue, and light grey
Material	U2
Composition	96% Cotton + 4% Anti-static Fiber
Surface Weight	155 g/m ²
Conformity	IEC-61340-1-5 International Standard



ESD T-Shirts

TECHNICAL DATASHEET


KSTB / KSTG

Size Chart

Use the dimension "Chest perimeter after wash" and "Length after wash" to choose the right size for you.

Suggestion: When you plan to order a bigger quantity, we suggest to try the whole size assortment after washing to choose the right size.

Toleration $\pm 5\%$



Size	A - Width after wash	2xA - Chest perimeter after wash	B - Length after wash
	cm	cm	cm
XS	41	82	62
S	44	88	62
M	47	94	66
L	51	102	68
XL	54	108	70
XXL	58	116	73
3XL	61	122	76
4XL	67	134	78
5XL	72	144	82

ESD T-Shirts

TECHNICAL DATASHEET

KSTB / KSTG

Care & Maintenance Instructions

- ⚡ Washing temperature: *garments made of knitwear - 40° C.
- ⚡ Don't use bleaching agents, alcalis, chlorine, disinfection.
- ⚡ Don't use softeners.
- ⚡ Ironing: 110° C (one point) for knitwear.
- ⚡ Drying: Don't dry in dryer - for knitwear.
- ⚡ Possibility of professional dry-cleaning (we recommend to make a test of dry-cleaning and check ESD properties).



Attention

- ⚡ The surface of garments can be damaged due to contact with higher temperature.
- ⚡ Industrial laundry – we recommend to make a test of surface resistivity after industrial washing cycle (as we don't know chemicals in use).
- ⚡ The durability of ESD properties is 50 washing cycles on condition that you keep above mentioned instruction.

Bespoke Customisation

ESD T-Shirts can be embroidered with your company logo/ information, please contact us and we will be happy to quote. Other colours are available on request, choice of blue, black, dark blue, red, white and many more.