

General Purpose Staticide Anti-Static Spray

2001 / 2003

Description

General Purpose Staticide Anti-Static Topical is easy to use and highly effective in controlling electrostatic charges in industrial manufacturing and static-sensitive environments. As a key component in any static control program, it is non-toxic, non-flammable, and non-staining. This ready-to-use solution formulated specifically for non-porous surfaces is ideal for eliminating static on plastic parts, equipment, and rubber. With a similar viscosity to water, it can be applied in various ways such as spraying, wiping, or dipping. General Purpose Staticide can be used for revitalising anti-static mats that have lost their dissipative properties.



Key Features

- Formulated for non-porous surfaces.
- Exceeds MIL-B-81705 and NFPA-56A electrostatic decay criteria.
- Meets requirements for topical anti-statics as listed in the Military Handbook DOD-HDBK-263.
- Proven effective in relative humidity below 15%.
- Decays static in less than 2 seconds.
- Surface resistance between 10^9 - 10^{10} ohms.
- One gallon covers approximately 2000 sq.ft. per gallon.
- Lasts from weeks to months depending on application.

Applications

- Dust attraction.
- Damage potential to sensitive electronics components and subassemblies.
- Data errors, paper jams, and other office machine glitches.
- Jamming or slipping of paper, plastics, and other materials during printing, packaging, and converting.
- Ignition of combustible vapour, dust, and solvents, causing fire or explosion.
- Irregularities caused by static in quality printing, heat sealing, silk screening, lamination, and other special applications.
- Static discharge on workbenches and production surfaces.

Size Options

2001 - 1 Quartz (0.94L)

2003 - 1 US Gallon (3.79L)

Other sizes available on request.



RoHS compliant



CE certified



REACH compliant



IEC 61340-5-1 compliant



General Purpose Staticide Anti-Static Spray

2001 / 2003

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Section 1.	IDENTIFICATION
-------------------	-----------------------

- 1.1 Identification:** Product Name: STATICIDE® General Purpose
Product Number: # 2001, 2003, 530, 2001-5, 2001-2
CAS# Mixture (see section 3)
- 1.2 Product description:** Anti-static topical for non-porous surfaces
Product type: Water with surfactants
Application: Industrial applications, professional applications
- 1.3 Manufacturer:** ACL Incorporated
840 W. 49th Place
Chicago, IL 60609

PH: (01) 847.981.9212 [U.S.A.]
FAX: (01) 847.981.9278 [U.S.A.]

Email of responsible party for SDS : marykay@aclstaticide.com

- 1.4 Emergency telephone:**
US/Canada Emergency TEL: INFOTRAC: (01) 800.535.5053 (day or night)
International Emergency TEL: INFOTRAC: 352.323.3500 (day or night)

Section 2.	HAZARDOUS IDENTIFICATION
-------------------	---------------------------------

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] & (US) OSHA HCS 2012:

2.1 Classification of the substance or mixture

Product definition: Mixture

Percentage of mixture consisting of ingredients of unknown toxicity: 0%

PHYSICAL/CHEMICAL HAZARDS: Not classified

HUMAN HEALTH HAZARDS: Eye irritation - Category 2B

ENVIRONMENTAL HAZARDS: Not classified

2.2 Label Elements

Hazard Pictograms: Not required

Signal Word: Warning

General Purpose Staticide Anti-Static Spray

2001 / 2003

Hazard Statement: Causes eye irritation (H320)

Precautionary Statements:

General:

If medical advice is needed, have container or label at hand (P101)

Keep out of reach of children (P102)

Read label before use (P103)

Prevention:

Wash hands thoroughly after handling (P264)

Response:

IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing (P305 + P351 + P338)

If eye irritation persists, get medical attention or advice (P337 + P313)

IF ON SKIN, wash with plenty of water. (P302 + P352)

Unknown Acute Toxicity: No data available

Storage Not a hazardous substance or mixture. See section 7 for storage details.

Disposal Not a hazardous substance or mixture. See section 13 for disposal details.

2.3 Other Hazards: NA

Supplemental label elements: NA

Annex XVII: Not applicable

Special packaging requirements

Containers to be fitted with child-resistant fastenings: Not applicable

Tactile warning of danger: Not applicable

Section 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substance/Mixture : Mixture

CHEMICAL	CAS	CLASSIFICATION	WEIGHT
Deionized Water	7732-18-5	Not classified	95 – 99
Quaternary ammonium compounds, coco alkylbis (hydroxyethyl)methyl, nitrates	71487-00-8	Acute Tox. 4; H302 Skin Corr. 1B; H314 Eye Dam. 1; H318 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 M-Factor (Acute): 1	< .5



General Purpose Staticide Anti-Static Spray

2001 / 2003

Isopropanol	67-63-0	Flam. Liq. 2; H225 Eye Irrit. 2A; H319 STOT SE 3; H336	< .5
-------------	---------	--	------

Section 4. FIRST AID MEASURES

4.1 Description of first aid measures

4.1.1 General Advice: If exposed or concerned: Get medical advice/attention

4.1.2 Inhalation: If symptoms are experienced, remove the source of contamination or move victim to fresh air. If the affected person is not breathing, apply artificial respiration. If breathing is difficult give oxygen.

4.1.3 Skin Contact: *Skin Contact:* If irritated, Wash with soap and water. Take off contaminated clothing and wash it before reuse. Get medical attention if irritation persists.

4.1.4 Eye Contact: Immediately flush eyes with large amounts of cold water for 15 minutes while holding eyelids open. If irritation persists, get medical attention.

4.1.5 Ingestion: Clean mouth with water and drink afterwards plenty of water. If swallowed, seek medical attention.

4.1.6 Self-Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training. Wear gloves

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

Potential acute health effects

Eye contact: Causes serious eye irritation.

Inhalation: No known significant effects or critical hazards.

Skin contact: No known significant effects or critical hazards.

Ingestion: No known significant effects or critical hazards.

Over-exposure signs/symptoms

Eye contact: Adverse symptoms may include the following: pain or irritation watering redness

Inhalation: No specific data



Heavy Duty Staticide Anti Static Spray

2002 / 2005

Skin contact: No specific data

Ingestion: No specific data

4.3 Indication of any immediate medical attention and special treatment needed

No data

Section 5.

FIRE FIGHTING MEASURES

Protective equipment and precautions for firefighters:

5.1 Extinguishing media

Suitable extinguishing media: Alcohol resistant foam, carbon dioxide (CO₂). Dry chemical.

Unsuitable extinguishing media: Not determined

5.2 Special hazards arising from the substance or mixture: Not determined.

5.3 Advice for firefighters

Wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

5.4 Further information: No data available

Section 6.

ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment as required. For personal protection see section 8.

6.1.1 For non-emergency personnel: Evacuate surrounding areas. Provide adequate ventilation.

6.1.2 For emergency responders: Take note of any information in Section 8 on suitable and unsuitable materials

6.2 Environmental precautions

No special environmental precautions required.

6.3 Methods and materials for containment and cleaning up

6.3.1 Containment: Prevent further leakage or spillage if safe to do so. Halt spill at source and contain or dike spill with inert absorbent material.

6.3.2 Clean up: Transfer liquid to containers for recovery or disposal. Shovel absorbent into drums for disposal in accordance with local, state and federal regulations.

6.3.3 Other information: NA

6.4 Reference to other sections

For disposal see section 13.

General Purpose Staticide Anti-Static Spray

2001 / 2003

Section 7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid contact with eyes. For precautions see section 2.2

Handle in accordance with good industrial hygiene and safety practice. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Wash face, hands, and any exposed skin thoroughly after handling. Wear eye/face protection.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place away from direct sunlight.

Storage Conditions: Ambient: 40°F - 90°F (4°C - 32°C)

Incompatible Materials: None known based on information supplied.

7.3 Specific end use(s) Apart from the uses mentioned in section 1.2

Designed for interior industrial manufacturing. May be used to decay static on plastic.
May be used on composite materials for static control but will not withstand weathering.

Section 8. EXPOSURE CONTROL / PERSONAL PROTECTION

8.1 Control parameters

Occupational exposure limits

Component	OSHA PEL	ACGIH TLV	NIOSH REL
Isopropanol	400 ppm TWA ; 980 Mg/m ³ 500 ppm STEL ; 1225 Mg/m ³	400 ppm TWA ; 983 Mg/m ³ 500 ppm STEL ; 1230 Mg/m ³	400 ppm TWA 980 Mg/m ³ 500 ppm STEL 1225 Mg/m ³

Recommended monitoring procedures: Not established

DNELs/DMELs: No DNELs/DMELs available.

PNECs: No PNECs available

8.2 Exposure controls

8.2.1 Appropriate engineering controls: Eyewash stations. Local Exhaust ventilation acceptable

8.2.2 Personal protective equipment

8.2.2.1 **Eye and face protection** Ensure that eyewash stations are proximal to the work-station location.
Splash Goggles are recommended for large spills.



General Purpose Staticide Anti-Static Spray

2001 / 2003

8.2.2.2 Skin protection Wear protective work clothing if necessary. Gloves recommended.

8.2.2.3 Respiratory protection None required in well ventilated areas.

8.2.2.4 Thermal hazards: For normal conditions, protection is not necessary.

Environmental exposure controls: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

In Case of Large Spill: Wear gloves, goggles, and protective work clothing.

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

Section 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	Clear pale yellow liquid
Odor	Pleasant
pH	7.1
Melting point/freezing point	NE / Less than 0°C
Initial boiling point and boiling range	100°C (212°F)
Flash point and method	None
Evaporation rate	(H ₂ O =1) 1 estimate
Flammability (solid, gas, liquid)	NA
Upper/lower flammability or explosive limits	NA
Vapor pressure	NE
Vapor density (air=1)	2 estimate
Relative density	.99
Solubility(ies).	Miscible
Partition coefficient: n-octanol/water	NE
Autoignition temperature	NA
Decomposition temperature	NE
Viscosity	NE
Volatile by weight	>98.5%

9.2 Other safety information

VOC (g/l)	< 3.6
-----------	-------



General Purpose Staticide Anti-Static Spray

2001 / 2003

Section 10. STABILITY AND REACTIVITY

10.1 Reactivity No data available

10.2 Chemical stability Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions None under normal procession

10.4 Conditions to avoid: Heat, flames and sparks. Extremes of temperature and direct sunlight.

10.5 Incompatible materials None known based on information supplied

10.6 Hazardous decomposition products: Hazardous Polymerization will not occur.

Other decomposition products: In the event of fire: see section 5

Section 11. TOXICOLOGY INFORMATION

11.1 – 11.1.4 Information on toxicological effects

a) Acute toxicity: Mixture not classified (based on available data, the classification criteria are not met)

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
Isopropanol	=6410 mg/kg (Rabbit)	=12,800 mg/kg (Rabbit)	=72.6 mg/l (Rat) 4 hours
quaternary ammonium compounds, coco alkylbis(hydroxyethyl) methyl, nitrates	=300 – 2,000 mg/kg (Rat)	No data	No data

b) Skin Irritation/Corrosion: Mixture not classified (based on available data, the classification criteria are not met)

Product/ingredient name	Result	Species	Exposure
Isopropanol	Skin - Mild irritant	Rabbit	500 milligrams
quaternary ammonium compounds, coco alkylbis(hydroxyethyl) methyl, nitrates	Burns skin	Rabbit	Based on similar quaternary salts

Conclusion/Summary: Not available

c) Eye Irritation/Corrosion: Mixture not classified (based on available data, the classification criteria are not met)

Product/ingredient name	Result	Species	Exposure
Isopropanol	Moderate irritant	Rabbit	24 hours 100 milligrams
	Moderate irritant	Rabbit	10 milligrams
	Severe irritant	Rabbit	100 milligrams

General Purpose Staticide Anti-Static Spray

2001 / 2003

quaternary ammonium compounds, coco alkylbis(hydroxyethyl) methyl, nitrates	Risk of serious eye damage	Rabbit	Based on similar quaternary salts
---	----------------------------	--------	-----------------------------------

d) Respiratory or Skin Sensitization: Mixture not classified (based on available data, the classification criteria are not met)

Product/ingredient name	Result	Species	Test
Isopropanol	Does not cause skin sensitization	Guinea Pig	Bucler
quaternary ammonium compounds, coco alkylbis(hydroxyethyl) methyl, nitrates	No data available		

e) Germ Cell Mutagenicity: Mixture not classified (based on available data, the classification criteria are not met)

Product/ingredient name	Result	Species	Test
Isopropanol	Negative	Bacteria	Ames test Method: OECD Test Guideline 471
quaternary ammonium compounds, coco alkylbis(hydroxyethyl) methyl, nitrates	Likely to be negative		Based on similar quaternary salts

f) Carcinogenicity Conclusion/Summary:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA

g) Reproductive toxicity: Mixture not classified (based on available data, the classification criteria are not met)

General Purpose Staticide Anti-Static Spray

2001 / 2003

h) STOT-single exposure:

Product/ingredient name	Category	Route of exposure	Target organs
propan-2-ol	Category 3	Not applicable.	Narcotic effects

i) STOT-repeated exposure: Mixture not classified (based on available data, the classification criteria are not met)

j) Aspiration Hazard: Mixture not classified (based on available data, the classification criteria are not met)

Information on the likely routes of exposure: Not available.

11.1.5 Primary route(s) of exposure/entry:

Eye Contact: Causes eye irritation

Skin Contact: May cause skin irritation.

Inhalation: Not a normal route of exposure. Do not inhale

Ingestion: Not a normal route of exposure. Do not ingest

11.1.6 Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: Adverse symptoms may include the following: Pain, watering, redness

Inhalation: Adverse symptoms may include the following: nausea or vomiting, headache, drowsiness/fatigue, dizziness/vertigo, unconsciousness

Skin contact: Adverse symptoms may include the following: pain or irritation, redness, blistering may occur

Ingestion: Adverse symptoms may include the following: stomach pains

11.1.7 Delayed and immediate effects as well as chronic effects from short and long-term exposure.

No data available

11.1.8 Interactive effects: No data available

11.1.9 Absence of specific data: Only hazardous or classified substances are listed in section 11.

11.1.10 Mixtures : Mixture is not toxic. See sections 5 and 10 for reactions.

11.1.11 Mixture versus substance information : Only hazardous or classified substances are listed in section

11.1.12 Other information: No known significant effects or critical hazards

Section 12.

ECOLOGICAL INFORMATION

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
propan-2-ol	Acute LC50 1400000 to 1950000 µg/l Marine water	Crustaceans - Crangon crangon	48 hours
	Acute LC50 4200000 µg/l Fresh water	Fish - Rasbora heteromorpha	96 hours

General Purpose Staticide Anti-Static Spray

2001 / 2003

Quaternary ammonium compounds, benzyl-C12-18-alkyldimethyl, chlorides	Acute LC50 0.31 mg/l	Fish	96 hours
---	----------------------	------	----------

Conclusion/Summary : Not available.

12.2 Persistence and degradability

Product/ingredient name	Test	Result	Dose	Inoculum
Quaternary ammonium compounds, coco alkylbis (hydroxyethyl)methyl, nitrates (salts)	-	20 % - 42 days	-	-
propan-2-ol	301E Ready Biodegradability - Modified OECD Screening Test	95 % - 21 days	-	-

Conclusion/Summary : Not available.

Product/ingredient name	Aquatic half-life	Photolysis	Biodegradability
propan-2-ol	-	-	Readily

12.3 Bioaccumulative potential

Product/ingredient name	LogP _{ow}	BCF	Potential
propan-2-ol	0.05	-	low

12.4 Mobility in soil

Soil/water partition coefficient (K_{oc}): Not available.**Mobility:** Not available.

12.5 Results of PBT and vPvB assessment

PBT: Not available.**vPvB:** Not available.**12.6 Other adverse effects:** No known significant effects or critical hazards.

Section 13. DISPOSAL CONSIDERATIONS

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

General Purpose Staticide Anti-Static Spray

2001 / 2003

13.1.1 Product / Packing Disposal

Product

Methods of disposal: Offer surplus and non-recyclable solutions to a licensed disposal company

Hazardous waste: The classification of the product does not meet the criteria for a hazardous waste under the Resource Conservation and Recovery Act (RCRA) 40 CFR 261

Contaminated Packaging

Methods of disposal: Dispose of as unused product. Waste packaging should be recycled.

13.1.2 Waste treatment-relevant information: Incineration or landfill should only be considered when recycling is not feasible. Handle empty containers with care because residual vapors are flammable

13.1.3 Sewage disposal-relevant information: Avoid release to the environment

13.1.4 Other disposal recommendations: Federal, State, and Local laws governing disposal of material can differ. Ensure proper disposal compliance with proper authorities before disposal.

Section 14. TRANSPORTATION INFORMATION

	Proper Shipping Name	Hazard Class	Packing Group	UN number	Limitations
US DOT ground	Non Hazardous Material	NA	NA	NA	NA
US DOT air	Non Hazardous Material	NA	NA	NA	NA
IATA	Non Hazardous Material	NA	NA	NA	NA
IMDG	Non Hazardous Material)	NA	NA	NA	NA

Section 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

SDS complies with the OSHA Hazard Communication Rule, 29 CFR 1910.1200.

CERCLA/Superfund, 40 CFR 117, 302: None of the chemicals are CERCLA hazards ---

SARA Superfund and Reauthorization Act of 1986 Title III sections 302, 311,312 and 313:

Section 302 – Extremely hazardous substances (40 CFR 355): None of the chemicals are Section 302 hazards

Section 311/312 – SDS Requirements (40 CFR 370): By our hazard evaluation, this product is non-hazardous.

Section 313 – List of Toxic Chemicals (40CFR 372):

This product does not contain chemicals on the 313 list of Toxic Chemicals.

Toxic Substance Control Act (TSCA): **All substances are TSCA listed.**

Resource Conservation and Recovery Act (RCRA 40 CFR 261) Subpart C & D: Refer to Section 13



General Purpose Staticide Anti-Static Spray

2001 / 2003

Resource Conservation and Recovery Act (RCRA 40 CFR 261) Subpart C & D: Refer to Section 13

Federal Water Pollution Control Act, Clean Water Act, 40 CFR 401.15 (formerly section 307) 40 CFR 116 (formerly section 311): **No products listed**

STATE REGULATIONS:

The following chemicals are specifically listed by individual state; other product specific health and safety data in other sections of the SDS may also be applicable for state requirements. For details on your regulatory requirements you should contact the appropriate agency in your state

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Isopropyl alcohol CAS#67-63-0	X	X	X

California Proposition 65: --- None of the chemicals are on the Proposition 65 list---

INTERNATIONAL REGULATIONS:

CANADA WHMIS:

This SDS is written in accordance to the Hazardous Products Regulation (HPR) SOR/2015-17, schedule 1.
This product has been classified in accordance with the Hazardous Products Regulation (HPR).

All Intentionally present components are listed on the DSL

Ingredient Disclosure List (SOR/88-64):					
English	French	Substance	CAS	Threshold	Present in product
904	1050	Isopropyl alcohol	67-63-0	1	1

EUROPEAN UNION: SDS complies with Regulation (EU) No. 2015/830 [CLP/GHS]
Regulation (EC) No 1005/2009 Ozone-depleting substances (ODS): Not chemicals listed.
Regulation (EC) No 649/2012, Annex 1, Chemicals subject to PIC: No chemicals listed
Regulation (EC) No 850/2004, Annex 1: No persistent organic pollutants present.
Directive 96/82/EC Seveso III, Annex 1:

- Part 1- This product is not categorized as a dangerous substance.
- Part 2- No chemicals listed.

REACH Directive EC1907/2006 Annex II and GHS requirements: To the best of our ability, this SDS is written in accordance to the requirements. This product is not subject to REACH restrictions. It does not contain substances that are candidates on the SvHC.



General Purpose Staticide Anti-Static Spray

2001 / 2003

International inventories:

Chemical Name	TSCA	DSL	NDSL	ENCS	IECSC	KECL	PICCS	AICS
Isopropyl alcohol CAS No 67-63-0	Present	X		x	X	x	X	X

15.2 Chemical Safety Assessment: No chemical safety assessment has been carried out

Sections 16. OTHER INFORMATION

NFPA Health: Can cause significant irritation

NFPA Fire: Will not burn

NFPA Instability: Stable

NFPA Reactivity: None



HMIS Health: Slight Hazard. Irritation or minor reversible injury possible.

HMIS Flammability: Minimal Hazard. Will not burn unless heated.

HMIS Reactivity: Minimal Hazard. Stable

HMIS Personal Protection: B. Safety glasses and protective gloves should be worn when handling this material.

1	HEALTH
0	FLAMMABILITY
0	REACTIVITY
B	PROTECTIVE EQUIPMENT

REVISION DATES, SECTIONS, REVISED BY:

15-Mar-92,	Original release date
02-APR-01,	Reviewed
17-Feb-04,	New Format, mkb
31-Jan-07	Section 11 & 12, mkb
28-Aug-09	New address, mkb
06-Mar-12	REACH updates, mkb
10-DEC-14	Section 2, mkb
13-Mar-15	Reviewed all sections, mkb
15-Jul-15	Added GHS elements, mkb
12-May-17	Added REACH elements, mkb
06-Dec-17	Correction section 1, mkb
20-Feb-20	Reviewed all sections, mkb
01-Apr-22	Reviewed all sections, mkb
17-May-23	Reviewed all sections, mkb

To the best of our knowledge, the information contained herein is accurate. However, neither ACL STATICIDE nor any of its subsidiaries assumes any liability **whatsoever for the accuracy or completeness of the information contained herein.** Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards which exist.



Eliminate Costly Static Damage...

Whether you are experiencing unacceptable levels of damage in transit, need a specific cleanroom solution or simply don't know which ESD safe equipment is best for you, we can help!

Request complimentary, no obligation advice by speaking with one of our technical experts today.

